

SALES SPECIFICATION

TRI ETHYLENE GLYCOL (TEG)

Property	Unit	Value		Test Method
		Min	Max	
Appearance	-	Clear		Visual
Purity	% wt	99.5	-	GC
Colour	HAZEN	-	40	ASTM D1209
Density @ 20°C		1.121	1.126	ASTM D4052
Water Content	% wt	-	0.2	ASTM D1064
Acidity as Acetic Acid	% wt	-	0.005	ASTM E202
Ash Content	% wt	-	0.005	ASTM D482
Distillation Range				
IBP	°C	275	-	ASTM D1078
DB	°C	-	305	ASTM D1078